



# Massachusetts Department of Environmental Protection Source Water Assessment and Protection (SWAP) Report For Sacred Heart High School

## What is SWAP?

The Source Water Assessment and Protection (SWAP) program, established under the federal Safe Drinking Water Act, requires every state to:

- ? Inventory land uses within the recharge areas of all public water supply sources;
- ? Assess the susceptibility of drinking water sources to contamination from these land uses; and
- ? Publicize the results to provide support for improved protection.

## SWAP and Water Quality

Susceptibility of a drinking water source does *not* imply poor water quality. Actual water quality is best reflected by the results of regular water tests.

Water suppliers protect drinking water by monitoring for more than 100 chemicals, treating water supplies, and using source protection measures to ensure that safe water is delivered to the tap.

Prepared by the  
Massachusetts Department of  
Environmental Protection,  
Bureau of Resource Protection,  
Drinking Water Program

Date Prepared:  
August 25, 2003

**Table 1: Public Water System (PWS) Information**

<b>PWS NAME</b>	Sacred Heart High School
<b>PWS Address</b>	399 Bishops Highway- Route 80
<b>City/Town</b>	Kingston, Massachusetts 02364
<b>PWS ID Number</b>	4145001
<b>Local Contact</b>	John Driscoll
<b>Phone Number</b>	(781) 585-7511

<b>Well Name</b>	<b>Source ID#</b>	<b>Zone I (in feet)</b>	<b>IWPA (in feet)</b>	<b>Source Susceptibility</b>
Well #1	4145001-01G	204	511	High
Well #2	4145001-02G	204	511	High

## Introduction

We are all concerned about the quality of the water we drink. Drinking water wells may be threatened by many potential sources of contamination, including septic systems, road salting, and improper disposal of hazardous materials. Citizens and local officials can work together to better protect these drinking water sources.

### Purpose of this report:

This report is a planning tool to support local and state efforts to improve water supply protection. By identifying land uses within water supply protection areas that may be potential sources of contamination the assessment helps focus protection efforts on appropriate best management practices (BMPs) and drinking water source protection measures. Department of Environmental Protection (DEP) staff are available to provide information about funding and other resources that may be available to your community.

### This report includes:

1. Description of the Water System
2. Discussion of Land Uses within Protection Areas
3. Recommendations for Protection
4. Attachments, including a Map of the Protection Areas

## 1. Description of the Water System

Both wells for Sacred Heart High School are located just to the northwest of the main school building. Each well has a Zone I of 204 feet and an Interim Wellhead Protection Area (IWPA) of 511 feet. The IWPA provides an interim protection area for a water supply well when the actual recharge area has not been delineated. The actual recharge area to the well may be significantly larger or smaller than the IWPA. The well is located in an aquifer with a high vulnerability to contamination due to the absence of hydrogeologic barriers that can prevent contaminant migration. Please refer to the attached map showing the location of the wells and boundaries of the Zone Is and IWPAs.

The water from the wells is treated with calcite to adjust its pH for corrosion control purposes. The DEP requires public water suppliers to monitor the quality of the water.

### What is a Protection Area?

A well's water supply protection area is the land around the well where protection activities should be focused. Each well has a Zone I protective radius and an Interim Wellhead Protection Area (IWPA).

- **The Zone I** is the area that should be owned or controlled by the water supplier and limited to water supply activities.
- **The IWPA** is the larger area that is likely to contribute water to the well.

In many instances the IWPA does not include the entire land area that could contribute water to the well. Therefore, the well may be susceptible to contamination from activities outside of the IWPA that are not identified in this report.

### What is Susceptibility?

Susceptibility is a measure of a well's potential to become contaminated due to land uses and activities within the Zone I and Interim Wellhead Protection Area (IWPA).

For current information on monitoring results and treatment, please contact the Public Water System contact person listed above in Table 1 for more information. Drinking water monitoring reporting data is also available on the web via EPA's Envirofacts website at [http://www.epa.gov/enviro/html/sdwis/sdwis\\_query.html](http://www.epa.gov/enviro/html/sdwis/sdwis_query.html).

## 2. Discussion of Land Uses in the Protection Areas

There are a number of land uses and activities within the drinking water supply protection areas that are potential sources of contamination.

### Key issues include:

1. **Inappropriate Activities in Zone Is;**
2. **An Underground Storage Tank (UST) With Heating Oil; and**
3. **Stormwater Catchbasin.**

The overall ranking of susceptibility to contamination for the well is high, based on the presence of at least one high threat land use or activity in the IWPA, as seen in Table 2.

1. **Zone Is** – Currently, the well does not meet DEP's restrictions, which only allow water supply related activities in Zone Is. The facility's Zone I contains school buildings, athletic fields, roads, parking areas, and recreational activities. Please note that systems not meeting DEP Zone I requirements must get DEP approval and address Zone I issues prior to increasing water use or modifying systems.

### Recommendations:

- ✓ Remove all non-water supply activities from the Zone I to comply with DEP's Zone I requirements.
- ✓ Do not use or store pesticides, fertilizers or road salt within the Zone I.
- ✓ Direct stormwater away from the Zone Is.

2. **Underground Storage Tank (UST)**- A UST with fuel oil is located within the protection area of the water supply. If managed improperly, Underground Storage Tanks can be a potential source of contamination due to leaks or spills of the chemicals they store.

### Recommendation:

- ✓ Any modifications to the UST must be accomplished in a manner consistent with Massachusetts's plumbing, building, and fire code requirements. Consult with the

**Table 2: Table of Activities within the Water Supply Protection Areas**

Potential Contaminant Sources	Zone Is	IWPAs	Threat	Comments
Fuel Storage Below Ground	No	Yes	High	Heating oil tank
Parking lot, driveways & roads	Yes	Yes	Moderate	Limit road salt usage and provide drainage away from wells
Athletic Field	Yes	Yes	Moderate	Fertilizer and pesticide use
Stormwater Drains	Yes	Yes	Moderate	Contaminated runoff from roads and parking.
Structures	Yes	Yes	-	Non-water supply structures in Zone I

\* -For more information on Contaminants of Concern associated with individual facility types and land uses please see the SWAP Draft Land Use / Associated Contaminants Matrix on DEP's website - [www.state.ma.us/dep/brp/dws/](http://www.state.ma.us/dep/brp/dws/).

## Glossary

**Zone I:** The area closest to a well; a 100 to 400 foot radius proportional to the well's pumping rate. To determine your Zone I radius, refer to the attached map.

**IWPA:** A 400 foot to ½ mile radius around a public water supply well proportional to its pumping rate; the area DEP recommends for protection in the absence of a defined Zone I I. To determine IWPA radius, refer to the attached map.

**Zone II:** The primary recharge area defined by a hydrogeologic study.

**Aquifer:** An underground water-bearing layer of permeable material that will yield water in a usable quantity to a well.

**Hydrogeologic Barrier:** An underground layer of impermeable material that resists penetration by water.

**Recharge Area:** The surface area that contributes water to a well.

local fire department for any additional local code requirements regarding USTs.

- ✓ The Department recommends that you inspect, maintain and replace or upgrade components of your heating system regularly. Inspect oil lines (i.e. furnace to tank) for corrosion or pitting and replace copper lines with lines encased in a protective sleeve or install UL listed oil safety valve to prevent leaks (refer to attachments).
- ✓ During refilling of UST, ensure that the operator of the oil transport tanker does not leave the vehicle area while the UST is being filled.

3. **Storm Water Catch Basins** – Catch basins transport storm water from the roadway and adjacent properties to the ground. As flowing storm water travels, it picks up debris and contaminants from streets, parking areas and lawns. Common potential sources of contamination include lawn chemicals, pet waste, leakage from dumpsters, household hazardous waste, and contaminants from vehicle leaks, maintenance, washing or accidents.

### Recommendation:

- ✓ Work with the Town to have the catch basins inspected, maintained, and cleaned on a regular schedule. Additionally, street and parking lot sweeping reduces the amount of potential contaminants in storm runoff.

4. **Athletic fields** – There are athletic fields within the Zone I and IWPA. Fertilizers and pesticides are applied to the lawn that lies within the protection area. Fertilizers and pesticides, if improperly applied or stored, can be potential sources of contamination to the water supply.

### Recommendations:

- ✓ Instruct the groundskeepers never to use fertilizers or pesticides within the Zone I.
- ✓ Use best management practices when applying fertilizers or pesticides within the IWPA.

Implementing the following recommendations will reduce the system's susceptibility to contamination.

## 3. Protection Recommendations

Implementing protection measures and best management practices (BMPs) will reduce the well's susceptibility to contamination. Sacred Heart High School is commended for

fencing, covering and marking the wellheads so students and others know where the wells are. Sacred Heart High School should review and adopt the key recommendations above and the following:

### Priority Recommendations:

- ✓ Ensure the Underground Storage Tank meets all current standards or consider replacement with a properly contained above ground storage tank.

### Zone I:

- ✓ Keep new non-water supply activities out of the Zone I.
- ✓ When feasible, remove all non-water supply activities from the Zone I to comply with DEP's Zone I requirements.
- ✓ Consider well relocation if Zone I threats cannot be mitigated.
- ✓ Prohibit public access to the well by locking facilities, gating roads, and posting signs.
- ✓ Conduct regular inspections of the Zone I. Look for illegal dumping, evidence of vandalism, check any tanks for leaks,




Figure 1: Example of how a well could become contaminated by different land uses and activities.

### For More Information:

Contact Isabel Collins in DEP's Southeast Regional Office at (508) 946-2726 for more information and for assistance in improving current protection measures.

More information relating to drinking water and source protection is available on the Drinking Water Program web site at:

[www.state.ma.us/dep/brp/dws/](http://www.state.ma.us/dep/brp/dws/)

### Additional Documents:

To help with source protection efforts, more information is available by request or online at [www.state.ma.us/dep/brp/dws/](http://www.state.ma.us/dep/brp/dws/), including:

1. Water Supply Protection Guidance Materials such as model regulations, Best Management Practice information, and general water supply protection information.
2. MA DEP SWAP Strategy
3. Land Use Pollution Potential Matrix
4. Draft Land/Associated Contaminants Matrix

Copies of this assessment have been made available to the public water supplier and town boards.

etc.

- ✓ Use BMPs and restrict activities that could pose a threat to the water supply.
- ✓ Redirect road and parking lot drainage in the Zone I away from well.
- ✓ Do not use or store pesticides, fertilizers or road salt within the Zone I.
- ✓ Use propane or natural gas for back-up power sources.

### Training and Education:

- ✓ Train staff on proper hazardous material use, disposal, emergency response, and best management practices; include custodial staff, groundskeepers and certified operator.
- ✓ Post labels as appropriate on raw materials and hazardous waste.
- ✓ Post drinking water protection area signs at key visibility locations.
- ✓ Incorporate groundwater education into school curriculum (K-6 and 7-12 curricula available; contact DEP for copies).

### Facilities Management:

- ✓ Implement standard operating procedures regarding proper storage, use and disposal of hazardous materials. To learn more, refer to <http://www.state.ma.us/dep/bwp/dhm/files/sqgsum.pdf> for the Requirements for Small Quantity Generators.
- ✓ Eliminate non-sanitary wastewater discharges to on-site septic systems. Instead, in areas using hazardous materials, discharge drains to a tight tank or sanitary sewer.
- ✓ Bring any floor drains into compliance with DEP Regulations (refer to attachment "Industrial Floor Drain Brochure").
- ✓ Remove hazardous materials from rooms with floor drains that drain to the ground or septic systems.
- ✓ Floor drains in areas where hazardous materials or wastes might reach them need to drain to a tight tank, be sealed, or be connected to a sanitary sewer.
- ✓ Upgrade all oil/hazardous material storage tanks to incorporate proper containment and safety practices.
- ✓ Implement Best Management Practices (BMPs) for the use of fertilizer, herbicides and pesticides on facility property.
- ✓ Septic system components should be located, inspected, and maintained on a regular basis.
- ✓ For utility transformers that may contain PCBs, contact the utility to determine if PCBs have been replaced. If PCBs are present, urge their immediate replacement. Keep the area near the transformer free of tree limbs that could endanger the transformer in a storm.
- ✓ The facility is currently not registered as a generator of hazardous waste or waste oil. Review enclosed document "A Summary of Requirements for Small Quantity Generators of Hazardous Waste" to determine your status and regulatory requirements.

### Planning:

- ✓ Work with local officials in town to include the facility IWPA in Aquifer

Protection District Bylaws and to assist you in improving protection.

- ✓ Have a plan to address short-term water shortages and long-term water demands. Keep the phone number of a bottled water company readily available.
- ✓ Supplement the SWAP assessment with additional local information and incorporate it into water supply educational efforts. Use a land use inventory to assist in setting priorities, focusing inspections, and creating educational activities.

### Funding:

The Department's Wellhead Protection Grant Program provides funds to assist public water suppliers in addressing Wellhead protection through local projects. Protection recommendations discussed in this document may be eligible for funding under

the "Wellhead Protection Grant Program". For additional information, please refer to the attached program fact sheet. Please note: each program year the Department posts a new Request for Response for the Grant program (RFR). Other funding opportunities are described in "Grant and Loan Programs: Opportunities for Watershed Protection, Planning and Implementation" at <http://www.state.ma.us/dep/brp/mf/files/glprgm.pdf>.

These recommendations are only part of your ongoing local drinking water source protection. Citizens and community officials should use this SWAP report to spur discussion of local drinking water protection measures.

## **5. Attachments**

- Map of the Public Water Supply (PWS) Protection Area.
- Recommended Source Protection Measures Factsheet
- Your Septic System Brochure
- Pesticide Use Factsheet
- Industrial Floor Drains Brochure
- Healthy Schools Fact Sheet
- Wellhead Protection Grant Program Fact Sheet
- Source Protection Sign Order Form